





Quick, clean and safe oil changes!

Femco Draintechnology

The FEMCO SYSTEM can be used on all equipment where a uid needs changing clean ly and e ciently. Simply replace the factory tted drain or sump plug. No special tools are needed!

ADVANTAGES

- Time-saving
- · Prevents thread damage in sump
- Prevents burn injuries caused by hot oil or other hot uid

DESIGN FEATURES

- Made from solid brass
- · Full range of sizes and thread patterns -Metric, BSP, UNF, UNS, NPT
- Custom sizes available

DRAINERS AND ACCESSORIES


- Straight and right-angled drainers of variouslengths
- Samplers and drain trays

Femco carries a wide range of products to make your fluid draining run even smoother

- Prevents direct contact with toxic uid
- No expensive cleaning and environmental damage
- No replacement of copper washer
- Prevents pollution of shop oor
- Over 1,500,000 drain plugs sold worldwide
- NEN and ISO9001:2000 certi ed
- Certi ed by TÜV
- All spares and accessories readily available

Quick and clean oil changes





Our solutions



Standard Drain

Our original screw-on drain plug is designed to perform an oil change quick and easy without a risk of polluting the environment. Works on a wide range of applications.



XL Drain

The XL oil drain plug has an optimised ow and is specially developed to drain large volumes of oil in a short time. Flow increase of 50%!



Quick Drain particularly machinery such as gensets.



Compact Drain

The Compact is the smallest oil drain plug we produce, and is the perfect choice for vehicles and machines with a low ground clearance such as buses

This two-in-one solution combines a drain plug with a drain connector and is suitable for xed



Click Drain

The Click Drain is the most effective solution for routine maintenance. This quick-coupling system is popular among fleet owners and is often used in combination with an oil extractor unit.



Oil Extractor Tank

The Femco® Oil Extraction Tanks are developed to drain oil in a mobile, effective, safe and environmentally friendly way.

The tank is a closed system which uses a pump to drain oil from your vehicle.

The unit shown here also has a high capacity pump to empty the tank into a static waste oil system.



Oil changing system

The Femco® oil changing system consists of of two oil evacuation units each a capacity of 110 litres. This enables you to drain used oil with one, and the other to provide your vehicles and machines with fresh oil. This oil changing system is therefore the best solution for quick and clean oil changes. The Femco® oil changing system is therefore specially suitable for fleet owners.



FOR FURTHER INFORMATION:

For more information, product movies, catalogues & orderforms, please check:

www.drainplug.co.uk

Geo Agg Engineering Ltd Forest View, Ashby Road, Frolesworth, LE17 5EB 01455 202626 info@drainplug.co.uk

